Columbus/Franklin County
# COVID-19 Homeless Response Network (HRN)
COVID-19 Resources for Sheltered and Unsheltered

communityshelterboard

Until everyone has a place to call home

6-16-20

1

Webinar Overview

Today's Topic: COVID-19 Resources for Sheltered and Unsheltered

Questions:
- All phones are muted – please "raise hand" to ask a question or share a comment
- Use the Question pane in control panel to submit question

Webinar will be recorded and posted to
https://www.csb.org/providers/COVID-19-provider-guidance

Agenda

- PPE, Keith McCormish, *Columbus Coalition for the Homeless*

- Community Resources, Kristina Kowatsch-Beyer, *Mount Carmel Outreach*

- Contact Tracing, Naomi Tucker, *Columbus Public Health*

- Shelter for Isolation and Quarantine (SIQ), Beth Lonn, *YMCA*

PPE

Columbus Coalition for the Homeless Update

- Obtaining, Preparing and Distributing PPE to those that are experiencing literal homelessness
- Handwashing Stations

Street Medicine

Supporting vulnerable people during the pandemic

Street Team

Medical Care

❖ Certified Nurse Practitioner
❖ Medical Technician

Street Team

Mental Health

- ❖ Certified Nurse Practitioner-Psych
- ❖ Community Paramedic

Street Team

Social Needs

❖ Registered Nurse
❖ Homeless Advocate

Telemedicine Team

- ❖ Registered Nurse
- ❖ Physician
- ❖ Bi-lingual Case Worker

COVID Testing Stations

Food Distribution

Lunch donations from:
- Freedom ala Cart
- Mid-Ohio Food Bank
- Jordon's Crossing
- Jersey Mike's
- Community members

Infectious Disease Investigation Steps

- Receive Disease Notification

- Verify Jurisdiction

- Gather Clinical Picture and Exposure History

- Obtain List of Contacts

- Implement Public Health Interventions

Public Health Interventions

- Restriction/Exclusion

- Isolation/Quarantine

- Education

- Medical Counter Measure

- Monitor

COVID – 19

- Transmission
  - respiratory droplets
- Exposure period
  - 2 days prior to onset of symptoms
  - 2 days prior to positive test (if no symptoms)
- Incubation period
  - 14 days

COVID – 19 Interventions

- Mitigation
  - Hand Washing
  - Masks
  - Social Distancing
  - Frequent Cleaning

COVID – 19 Interventions

- ## Isolation – Cases
  - ### Symptoms
    - At least 3 days (72 hours) have passed since recovery defined as resolution of fever without the use of fever-reducing medications and improvement in respiratory symptoms (e.g., cough, shortness of breath); **AND,**
    - At least 10 days have passed since symptoms first appeared
  - ### No Symptoms
    - 10 days have passed since the date of their first positive COVID-19 diagnostic test assuming they have not subsequently developed symptoms since their positive test. If they develop symptoms, then the symptom-based or test-based strategy should be used.

COVID – 19 Interventions

- Quarantine – Contacts
  - Close contacts **with symptoms** should immediately self-isolate and be referred for testing and medical care.
  - Close contacts **with no symptoms** will be asked to self-quarantine for 14 days from their last potential exposure.

Shelter for Isolation and Quarantine (SIQ)

- Eligibility for SIQ.
- What to expect when you are at SIQ.
- What services are offered?
- When do I get to leave SIQ?

Future Topics

6/26/20: Secondary Trauma

QUESTIONS

CSB COVID-19 Information Repository:
https://www.csb.org/providers/COVID-19-provider-guidance

Tom Albanese
talbanese@csb.org

Erin Maus
emaus@csb.org

Aubre Jones
ajones@csb.org

Community Shelter Board   @CommShelterBd   communityshelterboard