

## 2020 Program Review and Certification Standards

### J. Facilities

**New requirements are in red text and do not apply for the 2020 PR&C review. These requirements will be applicable in 2021.**

**Minor adjustments and clarifications and changes to Tiers are in green text. These changes are applicable for the 2020 PR&C review.**

**Bold are requirements that now apply for the 2020 PR&C review.**

Standard J1	Guideline J1	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
The proper number of beds or apartment units is provided according to the CSB partnership agreement(s).	<input type="checkbox"/> The facility or program has at least the number of beds or units as stated in the CSB partnership agreement(s). <input type="checkbox"/> Each participant must have an acceptable place to sleep, adequate space, and security for themselves and their belongings. <input type="checkbox"/> Permanent housing units must have at least a living room, a kitchen area, a bathroom, and one bedroom or living/sleeping room for each two persons (except SRO units). Children of the opposite sex, other than very young children, cannot be required to occupy the same bedroom or living / sleeping room. Exterior doors and windows must be lockable.	<input type="checkbox"/> <u>Discussion:</u> Agency confirmed that each housing unit has at least one bedroom or living/sleeping room for each two persons and has space and equipment to store, prepare, and serve food, per the guidelines. <input type="checkbox"/> <u>Discussion:</u> Agency confirmed that children of the opposite sex, other than very young children, are not required to occupy the same bedroom or living/sleeping room. <input type="checkbox"/> <u>Other:</u> CSB monitored beds via QI reports.	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		1	All programs <b>except CPOA, CARR Team, Outreach, Prevention</b>

Agency:

Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

	<ul style="list-style-type: none"> <li><input type="checkbox"/> In permanent housing units the bathroom must be contained within the unit, afford privacy, and be for the exclusive use of the occupants (except SROs).</li>   <li><input type="checkbox"/> Permanent housing units must have suitable space and equipment to store, prepare, and serve food in a sanitary manner, including an oven and stove or range, a refrigerator, and a kitchen sink with hot and cold running water. Hot plates are not acceptable substitutes for stoves or ranges (except SRO units). A microwave may be substituted for an oven and stove if the tenant agrees and if microwaves are furnished to both subsidized and unsubsidized tenants in the same building or premises.</li>   <li><input type="checkbox"/> If household composition changes, the agency must relocate the household to a more appropriately sized unit with continued access to</li> </ul>					
--	---	--	--	--	--	--

Agency:  
Date of Review:

**2020 Program Review and Certification Standards  
J. Facilities**

	appropriate supportive services.					
<b>Discussion and Basis for Conclusion</b>						

Standard J2	Guideline J2	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>The facility must be kept in a safe and sanitary condition and units must meet HUD’s Housing Quality Standard (HQS) or HUD Habitability Standards, as applicable, and all other applicable local codes.</p> <p><b>Shelters meet the ESG shelter and housing standards as detailed in 2 CFR Part 576.403.</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> For CoC- and HOME-funded programs, an initial inspection and annual HUD HQS inspection is required. For ESG- and CSB-funded programs, a HUD Habitability inspection is required. CSB will not pay rent for units that do not pass inspection.</li> <li><input type="checkbox"/> Site-based facilities have a housekeeping and maintenance plan. Evidence that the plan is being implemented can be staff initials when chores or routine maintenance tasks are completed.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <u>Discussion:</u> Agency explained the facility’s housekeeping and maintenance plan.</li> <li><input type="checkbox"/> <u>File Review:</u> CSB reviewed HQS or Habitability Inspection forms as applicable.</li> <li><input type="checkbox"/> <b>Other: For single sites and where services are provided, CSB noted the general upkeep and identified unfavorable conditions, if any.</b></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		1	<p>PSH, TH, RRH, <b>Shelters, and Prevention (only if client moves to a new unit)</b></p>

Agency:  
Date of Review:

**2020 Program Review and Certification Standards  
J. Facilities**

	<input type="checkbox"/> Shelter ESG standards include minimum standards for emergency shelters, structure and materials, access, space and security, interior air quality, water supply, sanitary facilities, thermal environment, illumination and electricity, food preparation, sanitary conditions, and fire safety.					
<b>Discussion and Basis for Conclusion</b>						

Standard J3	Guideline J3	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
A First Aid kit is accessible to staff and residents and is stocked with sufficient supplies to handle multiple incidents.	<input type="checkbox"/> A well-stocked first aid kit is kept in a common area where staff and residents can gain quick access in case of an emergency.  <input type="checkbox"/> The kit is stocked with common supplies to handle minor accidents.	<input type="checkbox"/> <u>Other</u> : CSB inspected First Aid kits.	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		1	Single-site PSH, TH, Shelters, and any location where on-site services are provided
<b>Discussion and Basis for Conclusion</b>						

Agency:  
Date of Review:

**2020 Program Review and Certification Standards  
J. Facilities**

Standard J4	Guideline J4	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>The program complies with all lead-based paint visual assessment requirements.</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> A written lead-based paint policy is available for review.</li> <li><input type="checkbox"/> Lead-based requirements apply to all units built before 1978 that are OR CAN BE occupied by families with children less than 6 years of age or pregnant women. Therefore, even if a unit is not currently occupied by a family, but is large enough or configured such that a family with a child under 6 years of age or a pregnant woman might move in, then the unit would need to meet lead-based requirements. For all practical purposes, the requirements apply to any unit built prior to 1978. Units must pass a lead-based paint visual assessment. A unit inspection and lead-based paint visual assessment conducted by a certified lead-based paint evaluator</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <u>File Review</u>: CSB reviewed client files for evidence of the lead-based paint visual assessment; acknowledgement that the HUD approved Lead-Based Paint Pamphlet was received by the client, and acknowledgement that the warning statement was given to the client.</li> <li><input type="checkbox"/> <u>File Review</u>: If any units failed the assessment, CSB discussed with agency staff steps taken.</li> <li><input type="checkbox"/> <b>Other: Quarterly email to the Ohio Dept. of Health listing active CoC- and HOME-funded unit addresses.</b></li> <li><input type="checkbox"/> <u>Other</u>: CSB staff conducted a lead-based</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		1	<p>PSH, TH, RRH, Shelters, and <b>Prevention</b></p>

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

	<p>must be documented in the client's file.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> If applicable, the agency must provide a federal lead information pamphlet and lead warning statement to all participants. Evidence is either included in a statement in the lease (with the household initials) or by giving the household a form where a retained portion confirms they received the information.</li> <li><input type="checkbox"/> If applicable, the Lead-Based Paint Poisoning Prevention Act, as amended by the Residential Lead-Based Paint Hazard Reduction Act of 1992 applies.</li> </ul>	<p>paint visual assessment on shelters, as needed.</p>				
<b>Discussion and Basis for Conclusion</b>						

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

Standard J5	Guideline J5	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
There is reasonable access to a public or private telephone for use by clients and phones are readily accessible for 911 / emergency calls.	<input type="checkbox"/> Pay phones or other phones in good working order are available for client use.  <input type="checkbox"/> Staff can describe the process for ensuring clients have access to telephones.	<input type="checkbox"/> <u>Discussion:</u> Agency staff described the process for ensuring clients have access to telephones.  <input type="checkbox"/> <u>Other:</u> CSB inspected phones for client use.	<input type="checkbox"/> Compliant  <input type="checkbox"/> Compliant with conditions  <input type="checkbox"/> Non-compliant  <input type="checkbox"/> N/A		2	Single-site PSH, TH, Shelters, and any location where on-site services are provided
<b>Discussion and Basis for Conclusion</b>						

Standard J6	Guideline J6	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
A bed, crib, or cot with clean and appropriate linens and bedding is provided for each client except in extenuating overflow situations.	<input type="checkbox"/> There are clean linens available and a process for ensuring that linens are regularly laundered.  <input type="checkbox"/> A bed/crib/cot is available to each shelter resident.	<input type="checkbox"/> <u>Other:</u> CSB inspected linens and laundry capabilities.  <input type="checkbox"/> <u>Other:</u> CSB inspected the sleeping facilities.	<input type="checkbox"/> Compliant  <input type="checkbox"/> Compliant with conditions  <input type="checkbox"/> Non-compliant  <input type="checkbox"/> N/A		2	Shelters
<b>Discussion and Basis for Conclusion</b>						

Agency:

Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

Standard J7	Guideline J7	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
Restrooms have an adequate number of showers and toilets for the clients housed in the facility. Restrooms and showers affirm the client's identity. There is warm and cold running water. Facilities are clean and in good working order, and each program participant has access to sanitary facilities that are in proper operating condition, are private, and are adequate for personal cleanliness and the disposal of human waste. The water is free from contamination.	<ul style="list-style-type: none"> <li><input type="checkbox"/> The facility has clean restrooms that are in good working order. Restrooms can be dormitory style or individual, depending on the type of housing or shelter.</li> <li><input type="checkbox"/> Where possible, restrooms include a single stall option and are labeled as all-gender with a simple sign. Where and when accommodations need to be made for individual clients, they are client-informed and in consideration of best practice standards.</li> <li><input type="checkbox"/> Local building codes provide definition of adequacy.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <u>File Review:</u> CSB reviewed inspection forms <b>as applicable.</b></li> <li><input type="checkbox"/> <u>Other:</u> CSB <b>reviewed maintenance records, inspections, and grievances regarding facility.</b></li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		2	<b>Single-site PSH, TH, Shelters, and any location where on-site services are provided.</b>
<b>Discussion and Basis for Conclusion</b>						

Agency:  
Date of Review:



**2020 Program Review and Certification Standards  
J. Facilities**

Standard J8	Guideline J8	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>Facilities providing services to children ensure:</p> <ul style="list-style-type: none"> <li>&gt; There are childproof electrical outlets;</li> <li>&gt; Precautions are taken to prevent children from falling out windows;</li> <li>&gt; Doors open from inside without a key;</li> <li>&gt; Precautions are taken to protect children from burns;</li> <li>&gt; Precautions are taken to protect children from injury from fans; and</li> <li>&gt; There is an area for children to nap without disturbance.</li> </ul> <p><b>Formerly Standard J9</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> The facility has taken measures to childproof electrical outlets and windows.</li> <li><input type="checkbox"/> Children are not able to lock themselves in any rooms.</li> <li><input type="checkbox"/> The facility restricts access to areas or equipment that could be harmful to children, such as stove, fans, etc.</li> <li><input type="checkbox"/> The facility must permit 24-hour access to the family's unit so that children may nap without disturbance.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <u>File Review</u>: CSB reviewed inspection forms.</li> <li><input type="checkbox"/> <u>Discussion</u>: Agency confirmed that it permits 24-hour access to the family's unit so that children may nap without disturbance.</li> <li><input type="checkbox"/> <u>Other</u>: CSB inspected congregate facilities for child safety and privacy measures.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		2	<p>All programs serving children <b>where on-site services are provided</b></p>
<b>Discussion and Basis for Conclusion</b>						

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

Standard J9	Guideline J9	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>In congregate facilities, there are secure designated spaces available for storing a client’s personal belongings while they reside at the shelter. Reasonable access by the residents must be provided. In non-congregate facilities, clients have 24-hour access to their belongings or the space where their belongings are stored.</p> <p><b>Formerly Standard J12</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> The facility provides lockers, storage trunks or makes other accommodations that allow residents to store their belongings.</li> <li><input type="checkbox"/> Residents have access to their belongings as needed. Access to clients’ belongings and storage space should not be denied in non-congregate facilities where there is little danger of theft because personal belongings are not stored in a congregate space.</li> <li><input type="checkbox"/> Program tracks all incidents of lost or stolen property reported by clients and can demonstrate any appropriate and necessary corrective action(s) taken to ensure secure storage of client personal belongings and client access to their belongings.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <u>Discussion:</u> Agency staff described the process by which clients have access to their belongings and corrective action for lost/stolen property.</li> <li><input type="checkbox"/> <u>Other:</u> Agency staff showed CSB the secure space for clients’ personal belongings.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		2	<p><b>Single-site</b> TH, Shelters</p>
<p><b>Discussion and Basis for Conclusion</b></p>						

Agency:

Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

Standard J10	Guideline J10	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>There is a place for clients who work third shift to sleep during the day when they are not at work.</p> <p><b>Formerly Standard J13</b></p>	<input type="checkbox"/> A dark, quiet place that is suitable for sleeping and free from disturbance from other shelter residents should be provided to those clients who work third shift.	<input type="checkbox"/> <u>Other</u> : If there are clients in the facility who work third shift, CSB inspected their sleeping space.	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		2	Shelters
<p><b>Discussion and Basis for Conclusion</b></p>						

Standard J11	Guideline J11	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>There is a fire and disaster safety plan. In congregate shelters or single structure buildings, there are records of an annual fire inspection, a posted evacuation plan in symbols capable of being understood by all</p>	<input type="checkbox"/> The agency has a fire safety plan available for review. <input type="checkbox"/> The agency has written evidence that it receives a fire inspection each year and can produce the most current inspection report.	<input type="checkbox"/> <u>Policy Review</u> : CSB reviewed the fire safety policy. <input type="checkbox"/> <u>File Review</u> : CSB reviewed the annual fire inspection. <input type="checkbox"/> <u>Other</u> : CSB saw evidence that safety	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant		2	<p><b>Single-site PSH, TH, Shelters, and any location where on-site services are provided</b></p>

Agency:

Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

<p>residents, an adequate fire detection system, regular fire drills, and adequate fire extinguishers. The program has documentation that employees are trained in fire safety procedures, including the use of fire extinguishers. In independent and scattered site units, there are working smoke detectors on each occupied level of the unit and posted evacuation plans. In multiple units with common entrances, there is record of an annual fire inspection. Congregate shelters and single structure buildings have a fire detection system and fire extinguishers and independent units have working smoke detectors. There is a second means of</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Evacuation routes are posted and easily understood.</li> <li><input type="checkbox"/> Documentation of employee fire safety training is available for review.</li> </ul>	<p>plans and evacuation routes are posted and necessary precautions have been taken.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <u>Other</u>: CSB reviewed documentation of employee fire safety training.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> N/A</li> </ul>			
---	--	--	--	--	--	--

Agency:

Date of Review:

**2020 Program Review and Certification Standards**  
**J. Facilities**

exiting the building in the event of fire or other emergency.  <b>Formerly Standard J14</b>						
---	--	--	--	--	--	--

**Discussion and Basis for Conclusion**

Standard J12	Guideline J12	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
In site-based programs with desk staff, staff is responsible for monitoring the facility entrance and is aware of clients attempting to access the building.  <b>Formerly standard J15</b>	<input type="checkbox"/> There is a mechanism, such as security cameras, to allow staff to see who requests access to the building.	<input type="checkbox"/> <u>Other</u> : CSB confirmed security measures at building access points.	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		2	<b>Single-site PSH, TH, Shelters, and any location where on-site services are provided</b>

**Discussion and Basis for Conclusion**

Agency:  
Date of Review:

**2020 Program Review and Certification Standards  
J. Facilities**

Standard J13	Guideline J13	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>The agency ensures that information technology is accessible to persons with disabilities, as required by Section 508 of the Rehabilitation Act.</p> <p><b>Formerly Standard J16</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Section 508 requires that persons with disabilities can use information and data to the same extent as those without disabilities.</li> <li><input type="checkbox"/> Information technology includes, but is not limited to, computers, fax machines, copiers, and telephones.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> <u>Discussion:</u> CSB discussed the requirement and how the agency complies with agency staff.</li> </ul>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		2	All programs
<p><b>Discussion and Basis for Conclusion</b></p>						

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

Standard J14	Guideline J14	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>The agency and any housing units comply with all applicable building, housing, zoning, environmental, fire, health, safety, and life safety codes, Americans with Disabilities Act policies, Section 504 of the Rehabilitation Act, and fair housing laws. Site-based programs with clients have Building and Occupancy Permits posted.</p> <p><b>Formerly Standard J17</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> The agency has occupancy permits available for review.</li> <li><input type="checkbox"/> The agency can document that use of buildings is consistent with zoning.</li> <li><input type="checkbox"/> The agency can show proof that building(s) passed the fire safety inspection.</li> <li><input type="checkbox"/> The agency can describe plans for accommodating persons with disabilities. Examples include providing qualified sign language interpreters and materials in formats such as Braille, audio, or large type.</li> <li><input type="checkbox"/> The agency can state if it has any pending litigation or investigation for civil rights or fair housing complaints.</li> <li><input type="checkbox"/> The agency can confirm that all programs comply with the new construction, reasonable accommodation, and</li> </ul>	Self-certification	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		3	<p>PSH, TH, RRH, Shelters, <b>and any location where on-site services are provided</b></p>

Agency:

Date of Review:

**2020 Program Review and Certification Standards**  
**J. Facilities**

	rehabilitation requirements of Section 504 of the Rehabilitation Act.					
--	---	--	--	--	--	--

Standard J15	Guideline J15	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
Shelter and TH clients may use the shelter or TH facility as a legal residence for the purpose of voter registration.  <b>Formerly Standard J18</b>	<input type="checkbox"/> Agency staff encourages clients to register to vote and provides information to clients regarding voting rights. This information can be disseminated as part of the intake process.  <input type="checkbox"/> Voter registration forms are available on-site.	Self-certification	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		3	TH, Shelters

Standard J16	Guideline J16	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
The agency implements Universal Precautions Procedures as required by Occupational Safety and Health Administration (OSHA), is in compliance with applicable standards, and has written plans for identification, treatment, and control of medical and health conditions. The agency	<input type="checkbox"/> Facilities show compliance with OSHA standards.  <input type="checkbox"/> The agency has letters, certifications, or other written evidence that it has consulted with the appropriate certifying agencies regarding the referenced topics.  <input type="checkbox"/> Appropriate agencies include the <b>Ohio</b>	Self-certification	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		3	Site-based PSH, TH, and Shelters

Agency:

Date of Review:



**2020 Program Review and Certification Standards  
J. Facilities**

<p>consults with the Columbus Health Department or other appropriate entities on sanitation, communicable diseases, hazardous material storage and use, and food handling.</p> <p><b>Formerly Standards J19 and J22</b></p>	<p><b>Department of Health, Franklin County Department of Health, Columbus Health Department, OSHA, and the Mid-Ohio Food Collective.</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> <b>The agency has written policies and procedures for detecting, controlling, and reporting communicable diseases according to Ohio Department of Health, Franklin County Public Health, and Columbus Public Health communicable disease reporting requirements located at <a href="https://idrsinfo.org/">https://idrsinfo.org/</a>.</b></li> <li><input type="checkbox"/> <b>The agency reports communicable diseases to public health officials and CSB (via a major/unusual incident report) when detected by the end of the next business day. The policy and procedure includes or references procedures concerning universal precautions.</b></li> </ul>					
---	---	--	--	--	--	--

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

	<input type="checkbox"/> <b>The agency has documentation of reports provided to public health officials and CSB when reportable communicable diseases are detected.</b>					
	<input type="checkbox"/> Cleaning supplies and other toxic chemicals are kept in areas not accessible to residents without staff assistance. The facility has spill kits or other appropriate protocol for handling toxic substances, such as drain opener, oven cleaner, bleach, etc.					

Standard J17	Guideline J17	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
Food preparation areas, if any, must contain suitable space and equipment to store, prepare, and serve food in a safe and sanitary manner. If the program provides food storage for a food pantry, there is evidence that the Mid-Ohio Food Collective has	<input type="checkbox"/> Letters, reports or other written documentation from an appropriate review and certifying body are kept on file for review.  <input type="checkbox"/> If the facility is not required to have a food license, the appropriate agency is consulted at least biannually.	Self-certification	<input type="checkbox"/> Compliant <input type="checkbox"/> Compliant with conditions <input type="checkbox"/> Non-compliant <input type="checkbox"/> N/A		3	PSH, TH, RRH, Shelters <b>that provide on-site meals or food pantries</b>

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

<p>determined that adequate provisions have been made for sanitary handling and safe storage of foods.</p> <p><b>Formerly standard J20</b></p>	<input type="checkbox"/> Agencies that provide supportive housing for persons with disabilities must provide meals or meal preparation facilities for clients.				
--	--	--	--	--	--

Standard J18	Guideline J18	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>Exits, steps, and walkways are clear of debris, ice, snow, and other hazards. There is a process in place to maintain clear walkways. All steps have handrails as required by applicable codes. Steps have treads or similar accommodation to prevent slipping.</p> <p><b>Formerly Standard J21</b></p>	<input type="checkbox"/> All steps and stairways have handles and treads. All walkways are kept in safe conditions regardless of the season. The facility has a plan for ensuring that debris is regularly removed from walkways.  <input type="checkbox"/> All steps and stairways have handles and treads.  <input type="checkbox"/> Scattered Site providers use landlords that ensure that all walkways are kept in safe conditions.  <input type="checkbox"/> The program provides advocacy on behalf of clients regarding these issues, as needed.	Self-certification	<input type="checkbox"/> Compliant  <input type="checkbox"/> Compliant with conditions  <input type="checkbox"/> Non-compliant  <input type="checkbox"/> N/A		3	PSH, TH, RRH, Shelters, <b>and any location where on-site services are provided</b>

Agency:  
Date of Review:

**2020 Program Review and Certification Standards  
J. Facilities**

Standard J19	Guideline J19	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>Staff is equipped with keys to all locks in the facility. In independent units, the clients are responsible for locking their unit, but staff maintains the ability to access the units at all times.</p> <p><b>Formerly Standard J23</b></p>	<input type="checkbox"/> Residents are not able to lock staff out of the unit, nor are staff able to lock residents in.  <input type="checkbox"/> Staff has a plan and procedure that does not violate landlord-tenant law for entering units, as appropriate, in case of emergency.	Self-certification	<input type="checkbox"/> Compliant  <input type="checkbox"/> Compliant with conditions  <input type="checkbox"/> Non-compliant  <input type="checkbox"/> N/A		3	Site-based PSH, TH, Shelters

Standard J20	Guideline J20	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p>There is evidence that radon testing has been done and necessary corrections made in buildings where clients have access to the basement.</p> <p><b>Formerly Standard J24</b></p>	<input type="checkbox"/> Written evidence of testing results and remediation activities, such as reports or other correspondence, is maintained in the file.	Self-certification	<input type="checkbox"/> Compliant  <input type="checkbox"/> Compliant with conditions  <input type="checkbox"/> Non-compliant  <input type="checkbox"/> N/A		3	Site-based PSH, TH, Shelters

Agency:  
Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

Standard J21	Guideline J20	Monitoring Method	Conclusion	Certifying Official*	Tier	Program Type
<p><b>The agency appropriately implements infection control measures and recommendations for COVID-19 and other similar coronavirus or flu emergencies. Staff is trained and supervised to ensure infection control policies are followed and tracked.</b></p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Cleaning chemicals are used according to recommendations.</li> <li><input type="checkbox"/> Staff is knowledgeable on the use of cleaning chemicals and the facility is cleaned and disinfected frequently.</li> <li><input type="checkbox"/> Quarantine or isolation procedures are implemented appropriately for clients who test positive for COVID-19 or who may have been exposed to COVID-19.</li> <li><input type="checkbox"/> Contact tracing procedures are in place for clients who test positive for COVID-19.</li> <li><input type="checkbox"/> When possible, clients at highest risk of severe illness from COVID-19 are separated from the rest of the client population in a different part of the facility.</li> <li><input type="checkbox"/> Personal Protection Equipment (PPE) is used appropriately.</li> <li><input type="checkbox"/> Staff completes hand hygiene appropriately. Staff and clients have easy</li> </ul>	<p>Self-certification</p>	<ul style="list-style-type: none"> <li><input type="checkbox"/> Compliant</li> <li><input type="checkbox"/> Compliant with conditions</li> <li><input type="checkbox"/> Non-compliant</li> <li><input type="checkbox"/> N/A</li> </ul>		<p>3</p>	<p><b>All programs where on-site services are provided</b></p>

Agency:

Date of Review:

## 2020 Program Review and Certification Standards

### J. Facilities

	<p>access to handwashing facilities and supplies and hand sanitizer.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Infection control procedures are used during meals and other food provision.</li> <li><input type="checkbox"/> Staff uses facemasks appropriately.</li> <li><input type="checkbox"/> Social distancing is implemented for staff and clients.</li> <li><input type="checkbox"/> Staff and others are appropriately screened when entering the facility, including temperature checks.</li> </ul>					
--	--	--	--	--	--	--

CSB reviews Tier 1 standards annually and Tier 2 standards every 4 years. For years when CSB does not review Tier 2 standards, agency staff certifies compliance with both Tier 2 and Tier 3 standards in the 'Certifying Official' column.

Agency:  
Date of Review: